



Vol.
11

DIRECT
ANIMAL PRODUCTS
A Division of TriStar Metals, Inc.

Grooming | Boarding | Animal Sheltering

BEFORE DIRECT



AFTER DIRECT

Simply painting the block wall and upgrading to new doors gave this facility a stunning face-lift!



KENNELS	4-10
Rod Doors, Glass Doors, Back Panels, Side Panels, Guillotine Doors, Extreme Kennels, Double Stack, Raised, Accessories	
DAYCARE ROOM DIVIDERS	11
KENNEL TRENCH DRAINS	11
CAT CONDOS	12-15
Modular, Double, Triple, Kitty Litters, Luxury Cat Runs [Powder Coated & Stainless Steel]	
CAGES	16-17
GROOMING TUBS	18-25
Grooming Tubs, Grooming Tub Grates	
GROOMING TABLES	26
FAUCETS	27
SCALES & ACCESSORIES	28
POO-PEE PATCH	29
IMAGE GALLERY	30
WARRANTY	31

Stunning. Well built. Highly durable.



KENNELS



I LOVE LOVE LOVE my panel system you all made/ installed for my pet resort. That's one of the best investments I have made in this venture."

Joan Kennedy
Cypress Falls Pet Resort

OUR ENTIRE LINE OF BEAUTIFUL DOG KENNEL DESIGNS

can be customized for your style and function standards, with advanced features in heavy-gauge stainless steel.

Our many customers, including luxury boarding facilities, groomers, shelters and animal control centers, tell us that Direct Animal kennels are simply the best on the market. So what makes our indoor and outdoor kennels so popular?

- Our flexible panels and components work for dogs and spaces of all sizes.
- They're truly designed to withstand heavy use with grace, day after day, year after year.
- Plus, the sleek styling looks fantastic in just about any setting, from the trendiest dog-grooming spa to a brand new animal rescue shelter.

Whether you're looking for a new kennel installation, a partial or complete renovation, special dog kennel runs, or a solution to a challenging kennel space, we can help.

Not sure which dog kennel panels, doors or other components are right for you?

Contact us now for a free personal consultation at 877.459.7827 or sales@directanimal.com.

STAINLESS STEEL KENNEL DOORS

- Constructed of 1 ¼" 18 gauge 304 stainless steel tubing
- Hand welded and polished
- Door swings in and out
- No bottom rail to trip over or trap fur, urine or feces
- Rods are welded to bottom tubing (no holes to catch urine)
- Extremely durable grill panel design - 1/4" on 1/4"

**INCLUDES: WALL ANGLES
(CONNECTS DOOR TO SIDE WALL OR DOOR JAM)**

D1036-KD 35 ½"W x 75 ½"H Stainless Steel Door

D1048-KD 47 ½"W x 75 ½"H Stainless Steel Door w/partition

D1060-KD 59 ½"W x 75 ½"H Stainless Steel Door w/partition



D1048-KD

36" TEMPERED GLASS DOOR

Outside Dimensions: 35 ½"W x 75 ½"H (Door and Frame)

- Constructed of 1 ¼" 18 gauge 304 stainless steel tubing
- ¼" Clear tempered glass
- Hand welded and polished
- Door swings in and out
- No bottom rail to trip over or trap fur, urine or feces

**INCLUDES: WALL ANGLES
(CONNECTS DOOR TO SIDE WALL OR DOOR JAM)**

D1036-GD 35 ½"W x 75 ½"H Tempered Glass Door



SILHOUETTE ARCH DOORS

Contact sales@directanimal.com for availability on designs

1000-AR



TEMPERED GLASS DOOR WITH SIDE PARTITION

Outside Dimensions: {47 ½ or 59 ½} "W x 75 ½"H (Door and Frame)

- Constructed of 1 ¼" 18 gauge 304 stainless steel tubing
- ¼" Clear tempered glass
- Hand welded and polished
- Door swings in and out
- No bottom rail to trip over or trap fur, urine or feces

**INCLUDES: WALL ANGLES
(CONNECTS DOOR TO SIDE WALL OR DOOR JAM)**

D1048-GD 47 ½"W x 75 ½"H Tempered Glass Door w/partition

D1060-GD 59 ½"W x 75 ½"H Tempered Glass Door w/partition



STAINLESS STEEL BACK PANEL

- Frame is constructed of 1 ¼" 18 gauge 304 stainless steel tubing
- Hand welded and polished
- Back panel is a single 20 gauge stainless steel wall
- Back panel has cross break for added strength

D1036-BP 35 ½"W x 75 ½"H Stainless Steel Back Panel

D1048-BP 47 ½"W x 75 ½"H Stainless Steel Back Panel

D1060-BP 59 ½"W x 75 ½"H Stainless Steel Back Panel



1036-BP

STARLITE BACK PANEL

- Frame body constructed of heavy duty TYPE 304 stainless steel
- Isolation partition is a wall of 0.40" HDPE (high density polyethylene)
- Hand welded and polished

D1036-SLBP 35 ½"W x 75 ½"H Starlite Back Panel

D1048-SLBP 47 ½"W x 75 ½"H Starlite Back Panel

D1060-SLBP 59 ½"W x 75 ½"H Starlite Back Panel

>INDICATE COLOR WHEN ORDERING



1048-SLBP

STARLITE BACK TO BACK PANEL GUILLOTINE DOOR

The guillotine door is a feature offered in all starlite back panels. The door runs the width the back panel and slides inside of a stainless steel track. A back panel with guillotine door is usually used when you have a back-to-back kennel design. This feature provides easy and safe access to the adjoining kennel.

>INDICATE COLOR WHEN ORDERING



Open Position

Closed Position



Side Panel Guillotine Door



Wall Mount Guillotine Door



1000-EZCB
Upgraded
Counter Balance
& Slides



1000-GDCB
Counter Balance

STAINLESS STEEL SIDE PANEL

- Constructed of 1 1/4" 18 gauge 304 stainless steel tubing
- Hand welded and polished
- 1/4" Stainless steel vertical rods
- 1/4" Stainless steel horizontal rods
- 48" H Isolation partition is a single 20 gauge stainless steel wall
- Dual wall insulated - filled with foam to reduce noise

INCLUDES: WALL ANGLE TO CONNECT PANEL TO BACK WALL

D1048-SP 48"L x 75 1/2"H Stainless Steel Side Panel

D1060-SP 60"L x 75 1/2"H Stainless Steel Side Panel

D1072-SP 72"L x 75 1/2"H Stainless Steel Side Panel



STARLITE SIDE PANEL

Outside Dimensions: 35 1/2"W x 75 1/2"H (Door and Frame)

- Frame body constructed of heavy duty TYPE 304 stainless steel
- Hand welded and polished
- 1/4" Stainless steel vertical rods
- 1/4" Stainless steel horizontal rods
- 48" H Isolation partition is a wall of 0.40" HDPE (high density polyethylene)

INCLUDES: WALL ANGLE TO CONNECT PANEL TO BACK WALL

D1048-SLSP 48"L x 75 1/2"H Starlite Side Panel

D1060-SLSP 60"L x 75 1/2"H Starlite Side Panel

D1072-SLSP 72"L x 75 1/2"H Starlite Side Panel

>INDICATE COLOR WHEN ORDERING

Ask about our Social Side Panel - easily removable to increase kennel size temporarily



CROSS VENTILATION PANEL

27.5"H STAINLESS STEEL KENNEL CROSS VENTILATION GRILL PANEL IN 1 1/4" TUBE FRAME

D1060-CVP 60"L x 27 1/2"H Cross Ventilation Panel

D1072-CVP 72"L x 27 1/2"H Cross Ventilation Panel



AVAILABLE STANDARD STARLITE COLORS:



BLUE

GREEN

CLAY

RED

MAROON

YELLOW

ORANGE

Custom Color Options Available

This is a photographic image and may not reflect exact color due to light variations in manufacturing.

PLEASE CALL FOR FREE SAMPLE BEFORE ORDERING

STARLITE is a

High Density Polyethylene (HDPE)

- Abrasion resistant
- Moisture resistant
- Stain resistant
- Odor resistant
- Very durable
- FDA approved
- High impact strength
- Chemical resistant


DOUBLE STACK KENNEL

Make the most of your grooming or boarding space with our double stack dog kennel designs.


Our dog kennel panels and accessories provide everything you need for efficient kennel floor plans in your grooming or boarding facilities, or animal shelter.

In sleek stainless steel or powder-coated colors to match your décor, our Direct double stack dog kennel designs offer maximum efficiency and ergonomics.

Our engineers have thought of everything to make your daily chores easier and safer when handling dogs in your care. For instance, you can feed them and clean their waste without removing them from their cages.



RAISED FLOORING



- Overall Double Stack Kennel Dimension: 48"W x 77.5"H x 34"D
- Dog kennel panels are constructed of hand-polished stainless steel with optional powder coating to match your décor
- 304 stainless steel kennel door frame stands up to daily use by dogs of all types
- 1/4" clear tempered glass provides strength while letting you see how your dogs are doing
- Rotating bowl feeder makes it super-easy to fill food and water bowls in the kennel door, then swing them back in for the pet's access
- HDPE Raised Flooring keeps pet dry at all times (fluids drain below)
- Removable waste tray makes cleaning a breeze, without disturbing the dog
- Slam latch gives you one-handed closing; especially helpful when holding pets!
- Locking casters give you flexibility to move the kennels when needed



Ready to make the most of your kennel floor plans with double stack dog kennel designs?

Contact us now for a free personal consultation at 877.459.7827 or sales@directanimal.com.

RAISED KENNEL

Using the heaviest-gauge stainless steel to withstand active dogs while reducing noise, we can help you create healthy, durable raised dog kennel designs for your space.

What's your vision? Classic stainless steel with glass doors, or beautiful color panels blended with steel to add a cheery or bold look to your facility?

Start by exploring our many options below, or visit our custom gallery for ideas.


- Raised dog kennel doors in stainless steel rod designs or in tempered glass with stainless steel tubing
- Back dog kennel panels in stainless steel or Starlite color options
- Side dog kennel panels in stainless steel or Starlite color options
- Raised dog kennel flooring that elevates dogs so they're never standing in urine, plus it resists bacterial and fungal growth while providing an insulated place to rest.
- Stainless steel waste collection pan



Subfloor elevates animals up & out of urine. Door swings both in and out. Great for narrow spaces.



Stainless steel collection pan with nipple directs waste from each kennel to a central floor drain.



This plumbing can easily be joined together by your plumber. Collection pans in each run can be connected with PVC piping and plumbed to a central sewer line.

For assistance in configuring the best raised dog kennel floor plans for your facility...

Contact us at 877.459.7827 or sales@directanimal.com

KENNEL AREA PREP TABLE

Dimensions: 72"L x 28"W x 36"H overall

- 4" back splash protects wall from water damage
- 18"L x 18"W x 12"D sink (specify sink placement when ordering)
- 48"L x 24"W Under shelf w/1" back splash
- Constructed of 16 gauge type 304 stainless steel
- Raised marine edge contains spills on table top surface
- Will stand up to water exposure
- Available in custom sizes

500-20 72"L x 28"W x 36"H w/Sink and Under Shelf



Faucet Not Included

ROTATING FOOD BOWL SYSTEM

A stainless steel panel rotates on a center axis 360 degrees, and provides easy and safe access to food and water. A self-closing spring latch design allows for easy operation. This system can be built into any door manufactured by DIRECT.

INCLUDES: 2 STAINLESS STEEL 2 QUART BOWLS

1036-BF 35 ½" W x 75 ½" H



STAINLESS STEEL CARD HOLDER

Constructed of 304 stainless steel. Attaches to kennel/cage door. Rod or glass mount available.

CHRD-3x5 Rod Door 3" x 5"

CHGD-3x5 Glass Door 3" x 5"

CHRD-5x7 Rod Door 5" x 7"

CHGD-5x7 Glass Door 5" x 7"



STAINLESS STEEL RESTING BENCH (NOT SHOWN)

Constructed of 304 stainless steel. Hinge system enables it to swing up for cleaning.

D1036-RB 35 ½"W x 24"D Stainless Steel Resting Bench

D1048-RB 47 ½"W x 24"D Stainless Steel Resting Bench

D1060-RB 59 ½"W x 24"D Stainless Steel Resting Bench

STARLITE RESTING BENCH

D1036-SLRB 35 ½"W x 24"D Starlite Resting Bench

D1048-SLRB 47 ½"W x 24"D Starlite Resting Bench

D1060-SLRB 59 ½"W x 24"D Starlite Resting Bench

>INDICATE COLOR WHEN ORDERING



STARLITE TROUGH COVER

Stainless steel frame and starlite surface design. "Z-Clip" design enables you to lift off cover for easy cleaning.

D1036-SLTC 35 ½"W x 12"D Starlite Trough Cover

D1048-SLTC 47 ½"W x 12"D Starlite Trough Cover

D1060-SLTC 59 ½"W x 12"D Starlite Trough Cover

>INDICATE COLOR WHEN ORDERING

STAINLESS STEEL TROUGH COVER (NOT SHOWN)

D1036-TC 35 ½"W x 12"D Stainless Steel Trough Cover

D1048-TC 47 ½"W x 12"D Stainless Steel Trough Cover

D1060-TC 59 ½"W x 12"D Stainless Steel Trough Cover



KENNEL ROOF ENCLOSURES

Constructed of heavy duty stainless steel

D1000-RE CALL FOR SIZES AND PRICING



DAYCARE ROOM DIVIDERS



Find out why doggie day care centers, boarding facilities, training centers and pet groomers use our colorful Starlite kennel room dividers to create stylish, pet-safe areas.

ROOM DIVIDER PANEL

SLRD 4'H x 6'W Room Divider Panel

ROOM DIVIDER GATE

SLRDG 35.5"W x 48"H Room Divider Gate

>Indicate color when ordering {see page 7 for color options}

Our tall dog gates can be your perfect room dividers for these reasons:

- The wall panel is made of FDA-approved HDPE (high density polyethylene) similar to cutting board material, it stands up to anything active dogs can dish out because it resists scratches, moisture, stains, odors and cleaning chemicals.

- Each wall panel is set inside a hand-welded, heavy-duty, stainless steel frame; the most durable frame available.
- With its rolling/locking wheels, you can easily move this room divider anywhere you like.

And to complement your setting, you can choose from 4 bold Starlite panel colors: blue, green, clay, and red. Available in standard 4'H x 6'W panels or customized sizes to fit your needs.

KENNEL TRENCH DRAINS

Here's why our unique one-piece commercial trench drains eliminate veterinary kennel odor and makes kennel cleaning easy.

- No more shifting seams. Our solid design uses heavy-duty 14-gauge stainless steel, fully welded as a single piece. No more joints to shift, warp, or leak.
- Easier cleaning, with a built-in integral slope to ensure urine flows toward the floor drain. Just hose out at the end of the day. Plus, where it fits against the wall, our built-in backsplash forces liquid (including urine) down the drain.
- Easy to install: Your plumber can simply set it in place and attach it to the wall.
- Two grate types: Stainless or HDPE. Each has a 3/8 inch opening on all four sides, allowing hair and solids to go directly into the trench drain.
- Uses less water: Unlike most commercial trench drains that are about 6-8 inches wide, our drain is just 4 inches wide so it's more efficient.

Options:

Water inlet for flush valve hook-up

Made with and without a perforated grate

Model available for rooms with a center drain set-up
(for back to back kennel runs)



Get rid of your kennel odor with a custom-sized drain.

CAT CONDOS



Our cat condos were custom built perfectly to fit our space. The quality is superior and the vent system helped eliminate odor completely. They're warm & inviting and offer our feline guests a first class stay!

John & Laurie
Lauderdale Pet Lodge

9 REASONS WHY DIRECT ANIMAL HAS THE BEST CAT CONDO AND CAT RUN DESIGNS FOR YOUR LUXURY DAY CARE/BOARDING FACILITY OR SHELTER USE.

1. Custom configurations: We'll create the perfect single, double or triple stacked boarding options for your space — even tall cat condos for narrow areas — in colors that complement your taste.
2. Maximum durability for many years: As a leading commercial cat condo manufacturer, we build heavy-duty stainless steel or powder-coated steel cat condos, fully welded in a 1-piece vertical design for lasting stability.
3. EXCLUSIVE Keeps fluids in their place: Our cat condo designs feature both urine-retaining front edges and our exclusive fluid-retaining vertical portals that prevent dripping into lower units. No other cat condos offer this benefit! Our seamless coved corners make for easy cleaning and won't trap urine, fur or litter...and unlike laminate models, our cat condos will not warp or swell with moisture.
4. Healthy environment: A separate kitty litter section keeps the living area clean, plus our perforated PVC ventilation tube design takes away the "bad" air to promote the healthiest environment.
5. Kitty comfort and versatility: Horizontal and vertical portals open and close to promote cat-pleasing exploration, climbing, perching and lounging.
6. See the love!: We offer 1/4" clear tempered glass backs; great for kitty adoption or other display needs.
7. Secure and easy one-handed closure: It's easy to close units with our unique slam latch; especially useful when your hands are full.
8. Easy maneuvering: Our cat condo designs arrive with wheels/casters for easy mobility.
9. Shipped fully assembled: No frustrating setups! It's all done for you.

Kitty care-givers everywhere prefer our ultra-durable cat house and condo designs. Your toughest decision? Choosing from over 100 powder-coated colors or our hand-polished stainless steel finish.

Additional Options



D1200-05
SWIVEL BOWL FEEDER



D1200-06
PVC VENTILATION PIPE



D1200-08
MOBILE STORAGE BASE



D1200-07
STAINLESS STEEL GRILL DOOR

MODULAR CAT CONDO

As irresistible as adoptable kittens: the best cat condo for your shelter or boarding facility

Direct Animal offers colorful, cute modular configurations so you can create a tall cat condo setup, a custom-designed look, or anything else you wish!

The possibilities are endless with our modular cat condo system... designed for adoption shelters, and perfectly at home in luxury boarding facilities too!

Start with our 36"W x 30"H x 30"D powder-coated steel cat condo with built in 13"W x 18"H kitty litter area. Each unit includes a stainless steel trimmed tempered glass door, guillotine sliding access door (to the separate litter area), decorative frosted glass kitty litter door, resting shelf and clear, tempered glass back.

Add the options that make it the best cat condo for you:

- 100+ powder-coated color options
- Swivel Bowl feeder lets you replenish food and water without opening the door
- Add ventilation to capture and remove odors
- Make it a tall cat condo with our mobile cabinet base offering convenient storage

Need help designing the perfect configuration?

Contact us at 877.459.7827 or sales@directanimal.com for assistance.



LUXURY CAT RUNS

Cats like to climb, perch and lounge and these luxury cat runs are ideal for cat parents seeking the ultimate boarding experience so why not give them what they're looking for and let your boarding facility reap the benefits. Not only will our cat runs last for years they will continue to look brand new with minimal maintenance. Our cat runs are made to your specifications so getting just the right size is a given. They're roomy enough for complex cat furniture and offer felines the space they need to explore.

POWDER COATED DOUBLE STACKED CONDOS W/ GLASS

Overall Dimension: 29"W x 59"H x 29"D

- ¼" Clear tempered glass
- Removable stainless steel doors

1200-21 LEFT End **1200-24** CENTER Unit **1200-27** RIGHT End

CUSTOM CONFIGURATIONS AVAILABLE



1200-27 & 1200-21

POWDER COATED TRIPLE STACKED CONDOS W/ GLASS

Overall Dimension: 29"W x 78"H x 29"D

- ¼" Clear tempered glass
- Removable stainless steel doors

1200-31 LEFT End **1200-34** CENTER Unit **1200-37** RIGHT End

CUSTOM CONFIGURATIONS AVAILABLE



1200-31 & 1200-37

POWDER COATED DOUBLE STACKED KITTY LITTERS W/ STORAGE

Overall Dimension: 14"W x 59"H x 29"D

- 4 doors

1200-28 LEFT End **1200-29** RIGHT End **1200-30** CENTER Unit

POWDER COATED TRIPLE STACKED KITTY LITTERS W/ STORAGE

Overall Dimension: 14"W x 78"H x 29"D

- 6 doors

1200-38 LEFT End **1200-39** RIGHT End **1200-40** CENTER Unit



1200-38

Stainless Steel Cat Condos

Animal control officers and shelter managers agree that the best cat house and condo material is stainless steel.

Direct Animal invites you to consider the many reasons some of your peers won't go with anything other than classic, durable stainless.

5 reasons why many of our customers vote stainless steel as the best cat condo material (it has to do with high-quality materials and our unique designs):

1. Our non-porous floors, doors and sides never warp (we use the heaviest gauge stainless steel in the industry) and never absorb urine or harsh cleaners
2. Easy-clean hand-welded and polished radius corners don't catch on fur
3. A fun cat condo perch/platform is included in each unit, plus our separate kitty litters keep things tidy and sanitary.
4. Our urine-retaining lip helps prevent fluids from leaking into surrounding areas
5. 4" double ball bearing casters lock securely in place

Let us help you with your custom configurations (shown with perforated rear wall)



1200-38S & 1200-37S

STAINLESS STEEL CAT CONDOS

DOUBLE STACKED

Overall Dimension: 29"W x 59"H x 29"D

- Removable stainless steel doors

1200-21S LEFT End

1200-24S CENTER Unit

1200-27S RIGHT End

CUSTOM CONFIGURATIONS AVAILABLE

TRIPLE STACKED

Overall Dimension: 29"W x 78"H x 29"D

- Removable stainless steel doors

1200-31S LEFT End

1200-34S CENTER Unit

1200-37S RIGHT Unit

CUSTOM CONFIGURATIONS AVAILABLE

STAINLESS STEEL KITTY LITTERS w/STORAGE

DOUBLE STACKED

Overall Dimension: 14"W x 59"H x 29"D

4 doors [doors for separate storage & kitty litter area]

1200-28S LEFT End

1200-29S RIGHT End

1200-30S CENTER Unit

TRIPLE STACKED

Overall Dimension: 14"W x 78"H x 29"D

6 doors [doors for separate storage & kitty litter area]

1200-38S LEFT End

1200-39S RIGHT End

1200-40S CENTER Unit

CAGES



We are building a new clinic and have had to work with many suppliers. Your service has been head and shoulders above the others. I wish all companies operated at your level.

Dr. Eric Stone


PACKED WITH BENEFITS WE INVENTED JUST FOR YOU

Pet facilities prefer our cages for these distinct reasons:

- Safe, stay-dry subfloors (invented here!): We developed the first perforated HDPE raised subfloor for fluid drainage while elevating animals out of their own urine so they stay clean and dry. This is especially useful in keeping fluids away from a freshly bathed animal.
- Super-simple waste removal (perfected here!): Waste material drains into a removable collection tray, making it easy for your staff to clean without removing the animal or opening the door.
- Maximum durability (the heaviest-gauge steel in the industry!): All our galvanized steel cages are made from 18GA (gauge) steel for decades of stability and performance.
- Easy-close, easy-clean doors: Our heavy-duty ALL STAINLESS STEEL grill door includes a slam latch design so you can close it with one hand. And, just lift the door off its hinge when needed for cleaning.
- Custom cages by design: Large dogs? Small dogs? Cattery cage? Let us configure the perfect options for your indoor and outdoor cage needs.
- Easy maneuvering: Our cages arrive with wheels/casters for easy mobility.
- Shipped fully assembled: No frustrating setups! It's all done for you.

If you're looking for a ready-to-go solution on a smaller budget, we also offer quality stainless steel cages featuring a one-handed positive lift latch for easy access. Minimal assembly required.

Our cages can be custom-configured for dog kennels, grooming facilities, animal shelters and more.



RAISED FLOORING


WASTE TRAY

SLAM LATCH

STACKED MOBILE CAGE BANKS

Custom configurations available

- 18 Gauge galvanized steel cages
- 304 Stainless steel grill door w/slam latch
- HDPE raised flooring
- Removable waste collection trays
- Stainless steel mobile base



DIVIDER PANEL

TRIPLE STACK MOBILE CAGE BANK

Overall Dimension: 48"W x 77"H x 29"D

- (3) **D1618** 16"W x 18"H x 15 ¾"D Cage
- (2) **D2424** 24"W x 24"H x 28"D Cage
- (1) **D4830D** 48"W x 30"H x 28"D Cage w/ Divider Panel
- (1) **D4830-MB** 48" x 30" Stainless Steel Mobile Base w/ Casters
- (1) {Optional} **TOPCAP** Provides a Smooth Solid Look on Top



STANDARD MOBILE CAGE BANK

Overall Dimension: 48"W x 59"H x 29"D

- (2) **D2424** 24"W x 24"H x 28"D Cage
- (1) **D4830D** 48"W x 30"H x 28"D Cage w/ Divider Panel
- (1) **D4830-MB** 48" x 30" Stainless Steel Mobile Base w/ Casters
- (1) {Optional} **TOPCAP** Provides a Smooth Solid Look on Top

GROOMING TUBS



“We had our tub system installed and it is awesome. Our clients love it as well as my staff. I will gladly be a reference for you if you need one from me. Thanks!”

Dr. Ayers

WHEN IT COMES TO BATHING PLAYFUL OR EVEN AGGRESSIVE ANIMALS,

your comfort and safety are key considerations. We offer truly unique grooming tub innovations like our patented swivel ramp and our electric, hydraulic bathing tub. We believe your equipment should do the heavy lifting for you.

- Heavy duty stainless steel for maximum durability and longevity.
- Fully welded, one-piece designs ensure against leaks.
- Elevating grates lift smaller dogs to a comfortable working height, saving your back.
- The use of ramps, hydraulics and doors keep you from having to bend and lift up and over tubs.
- Leash rails and D-rings provide secure anchoring, keeping animals comfortably within reach.
- Other options include grate guide systems and slope which pushes water toward the drain.

All tubs ship fully assembled.

AN EXCITING INNOVATION IN PET GROOMING!

HYDRAULIC GROOMING TUB

Outside Dimensions: 60"W x 8-42"H x 28 3/4"D (front to back)

Imagine any dog, any size, calmly stepping into the dog-grooming tub WITHOUT needing a ramp! Then the smooth, quiet electric hydraulic system lifts the tub to the desired height, making it easy for any staff member to work with dogs of all sizes.

This is possible now with our hydraulic dog grooming tubs. Our engineers have thought of everything to provide you with years of durable, comfortable performance, including

- Adjustable grooming tub floor (from 8" off the ground to 42" high), with a generous 13" deep tub
- The faucet is located safely up and out of way*
- Constructed of heavy-duty 16 gauge type 304 stainless steel
- Leak-free fully welded one-piece design
- High backsplash design helps prevent water damage to walls
- Tie-down rail & D-Rings secure animals
- Very solid base thanks to a durable underframe with bracing
- Large enough for the big dogs: 60"W x (8-42"H) x 28 3/4"D
- Water-proof hand control is cradled on the side for easy access

THIS IS THE MOST VERSATILE DOG-GROOMING TUB YOU'LL EVER FIND.

OPTIONAL: 48" X 24" HDPE FLOOR GRATE

800-HR 60" Electric Hydraulic Tub, Right Drain (*LEFT Door*)

800-HL 60" Electric Hydraulic Tub, Left Drain (*RIGHT Door*)



Action Video Available on
www.directanimal.com



Visit our
website to
see video



NO MORE PULLING ON HEAVY RAMPS. OUR SIMPLE FOOT PROPELLED RAMP SAVES YOUR BACK AND SHOULDERS.

PATENTED GROOMING TUB w/ SWIVEL RAMP

Outside Dimensions: (59" or 48")W x 64 ½" x 28 ¼"D (front to back)

Patented ramp tucks completely under the tub when not in use. Only available through Direct Animal Products. U.S. Patent #6,516,752

- Constructed of 16 gauge type 304 stainless steel
- Fully welded one piece design ensures against leaks
- Tub design has a built in 1" slope to allow for positive drainage
- Swinging door creates large entry point for larger animals
- High backsplash helps prevent water damage to surrounding walls
- Fully welded tubing underframe provides a very solid base
- Elevated grate system
- Adjustable stainless steel feet allow for leveling

INCLUDES: 26 ½" X 20" HDPE ELEVATED GRATE

800-00 59" Bathing Tub, RIGHT Plumbing (*LEFT Rotating Ramp*)

800-02 48" Bathing Tub, RIGHT Plumbing (*LEFT Rotating Ramp*)

800-10 59" Bathing Tub, LEFT Plumbing (*RIGHT Rotating Ramp*)

800-12 48" Bathing Tub, LEFT Plumbing (*RIGHT Rotating Ramp*)



800-10

Faucet Not Included

SWING RAMP 60" GROOMING TUB

Outside Dimensions: 60"W x 58"H x 24 ⅝"D (front to back)

Patented ramp swings underneath tub. Only available through Direct Animal Products. U.S. Patent #6,516,752

- Grooming tub constructed of 18 gauge type 304 stainless steel
- Fully welded one piece bathing tub design ensures against leaks
- Grooming tub design has a built in 1" slope to allow for positive drainage
- Sliding door creates large entry point for larger animal

INCLUDES: RAMP AND DOOR

OPTIONAL: 48" X 22" HDPE FLOOR GRATE

D60R-SR 60" Bathing Tub, Swing Ramp, Right Plumbing (*LEFT Ramp*)

D60L-SR 60" Bathing Tub, Swing Ramp, Left Plumbing (*RIGHT Ramp*)



D60R-SR

Faucet Not Included

ADA COMPLIANT GROOMING TUB W/ SWIVEL RAMP

Outside Dimensions: 60"W x 58"H x 24⁵/₈"D (front to back)

- **Swivel ramp entry — no more lifting:** With our tub's patented swing-out ramp system, pet owners can easily guide their dogs up into the tub.
- **Easy opening for all dogs:** Our tub door slides open to accommodate dogs of all sizes.
- **Lower tub depth for wheelchair reach:** Instead of the standard 36" tub depth, ours is shallower and with a lower height. This provides head-to-paw dog-washing comfort for someone in a wheelchair. And of course, our ADA compliant dog bath tubs are made with the most durable stainless steel in the industry (16 gauge).
- **Comfortable-reach fixtures:** We lowered the faucets and sprayer so they're within easy reach from a wheelchair.
- **Tub-side restraint hooks:** Most tubs only have restraint hooks in the back of the tub. We added side hooks to accommodate everyone

We support the ADA mission of "Advancing Equal Access!" **Custom sizes are available.**

OPTIONAL: 20" X 20" X 12" HDPE RAISED GRATE

OPTIONAL: 35" X 22" HDPE FLOOR GRATE

D60R-SR-ADA 60" Bathing Tub, Right Plumbing (*Left Rotating Ramp*)

D60L-SR-ADA 60" Bathing Tub, Left Plumbing (*Right Rotating Ramp*)



D60R-SR-ADA
Faucet Not Included

GROOMING TUB W/ REMOVABLE RAMP

Outside Dimensions: 48"W x 58"H x 24⁵/₈"D (front to back)

- Constructed of 18 gauge type 304 stainless steel
- Fully welded one piece design ensures against leaks
- High backsplash helps prevent water damage to surrounding walls
- Heavy duty tie-down rail provides anchor points for securing animals
- Durable underframe w/ bracing provides a very solid base
- Sliding door creates large entry point for larger animals
- Ramp is constructed of a stainless steel frame & HDPE grating
- Grate creates a solid walk way and provides traction for paws

INCLUDES: RAMP AND DOOR

OPTIONAL: 20" X 20" X 12" HDPE RAISED GRATE

OPTIONAL: 35" X 22" HDPE FLOOR GRATE

D48R 48" Bathing Tub, Removable Ramp, RIGHT Plumbing (*LEFT Ramp*)

D48L 48" Bathing Tub, Removable Ramp, LEFT Plumbing (*RIGHT Ramp*)

D60R 60" Bathing Tub, Removable Ramp, Right Plumbing (*Left Ramp*)

D60L 60" Bathing Tub, Removable Ramp, Left Plumbing (*Right Ramp*)



D48R
Faucet Not Included

GROOMING TUB w/45 DEGREE SIDE SPLASHES

Outside Dimensions: (47 1/4" or 35 1/4")W x 55"H x 26 5/8"D (front to back)

- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 13"
- Fully welded one piece design ensures against leaks
- High backsplash helps prevent water damage to surrounding walls
- Elevated grate guide system for bathing small animals
- Tie-down rail and 3 D-Rings located on backsplash for securing animal
- Fully welded tubing underframe provides a very solid base

INCLUDES: 23" X 20" HDPE ELEVATED GRATE

800-15 47 1/4" Bathing Tub, 45 Degree Side Splashes & Center Drain

800-16 35 1/4" Bathing Tub, 45 Degree Side Splashes & Center Drain



800-16

Faucet Not Included

48" GROOMING TUB

Outside Dimensions: 48"W x 58"H x 24 5/8"D (front to back)

- Constructed of 18 gauge type 304 stainless steel
- Fully welded one piece design ensures against leaks
- High backsplash helps prevent water damage to surrounding walls
- Heavy duty tie-down rail provides anchor points for securing animals
- Durable underframe w/ bracing provides a very solid base

OPTIONAL: 20" X 20" X 12" HDPE RAISED GRATE

OPTIONAL: 35" X 22" HDPE FLOOR GRATE

D48-NR 48" Bathing Tub, Center Drain



D48-NR

Faucet Not Included

GROOMING TUB w/ FULL SIDE SPLASHES

Outside Dimensions: (48" or 36")W x 58"H x 25 ¾"D (front to back)

- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 12"
- Fully welded one piece design ensures against leaks
- High backsplash helps prevent water damage to surrounding walls
- Elevated grate guide system for bathing small animals
- 3 tie-down D-ring locations for securing animal
- Fully welded tubing underframe provides a very solid base

INCLUDES: 23 5/8" X 20" HDPE ELEVATED GRATE

800-17 48" Bathing Tub with Center Drain

800-18 36" Bathing Tub with Center Drain

>INDICATE FAUCET LOCATION WHEN ORDERING



800-18

STEP-IN GROOMING TUB

Outside Dimensions: (48" or 36")W x 50"H x 28"D (front to back)

- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 6"
- Fully welded one piece design ensures against leaks
- High backsplash helps prevent water damage to surrounding walls
- 3 tie-down D-ring locations for securing animal
- Fully welded tubing underframe provides a very solid base

OPTIONAL: 44" X 24" HDPE FLOOR GRATE

800-20 48" Bathing Tub, Full Side Splashes & Center Drain

800-21 36" Bathing Tub, Full Side Splashes & Center Drain

>INDICATE FAUCET LOCATION WHEN ORDERING



800-20

ELEVATED TUB w/5"D BASIN

Outside Dimensions: 36"W x 64"H x 21 1/2"D (front to back)

- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 5"
- Fully welded one piece design ensures against leaks
- High backsplash helps prevent water damage to surrounding walls
- Elevated grate guide system for bathing small animals
- Tie-down rail for securing animal
- Durable underframe w/bracing provides a very solid base

INCLUDES: 26 1/2" X 20" HDPE FLOOR GRATE

800-25 36" Bathing Tub, 5"D Basin & Center Drain

>INDICATE FAUCET LOCATION WHEN ORDERING



ELEVATED GROOMING TUB w/ 12"D BASIN

Outside Dimensions: 36"W x 58"H x 23 1/2"D (front to back)

- Constructed of 16 gauge type 304 stainless steel
- Tub depth is 12"
- Fully welded one piece design ensures against leaks
- High backsplash helps prevent water damage to surrounding walls
- Tie-down rail for securing animal
- Durable underframe w/ bracing provides a very solid base

OPTIONAL: 24" X 19" X 9" HDPE RAISED GRATE

OPTIONAL: 24" X 19" HDPE FLOOR GRATE

800-30 36" Bathing Tub, 12"D Basin, Center Drain

>INDICATE FAUCET LOCATION WHEN ORDERING



ELEVATED GRATES

- Grate surface is constructed of 0.40 HDPE
- Encased in a 304 stainless steel frame
- Grate rests on “Elevated Grate Guide System”
- Grate surface is perforated with 0.475 holes

800-00EG 26 ½" x 20" Elevated Grate

800-02EG 26 ½" x 20" Elevated Grate

800-10EG 26 ½" x 20" Elevated Grate

800-12EG 26 ½" x 20" Elevated Grate


800-15EG 23 ⅛" x 20" Elevated Grate

800-16EG 23" x 20" Elevated Grate

800-17EG 23 ⅝" x 20" Elevated Grate

800-18EG 23 ⅝" x 20" Elevated Grate

800-25EG 26 ½" x 20" Elevated Grate



FLOOR GRATES

- Grate surface is constructed of 0.40 HDPE
- Encased in a 304 stainless steel frame
- Frame is elevated 2 inches by stainless steel legs
- Grate surface is perforated with 0.475 holes

D48FG 35" x 22" Floor Grate

D60FG 48" x 22" Floor Grate

800-00FG 48" x 24" Floor Grate

800-02FG 38" x 24" Floor Grate

800-10FG 48" x 24" Floor Grate

800-12FG 38" x 24" Floor Grate

800-15FG 46" x 20" Floor Grate


800-16FG 34" x 20" Floor Grate

800-17FG 41" x 21" Floor Grate

800-18FG 29" x 21" Floor Grate

800-20FG 38" x 24" Floor Grate

800-30FG 31" x 19" Floor Grate



RAISED GRATES

- Grate surface is constructed of 0.40 HDPE
- Encased in a 304 stainless steel frame
- Frame is elevated by stainless steel legs
- Grate surface is perforated with 0.475 holes

D48RG 20" x 20" x 11"H Raised Grate

800-30RG 24" x 19" x 9"H Grate



ELECTRIC LOWBOY GROOMING TABLE

- Adjustable height: 6" to 42"
- Table can be either mobile or stationary
- Super heavy duty enclosed electric jackscrew
- Foot switch for hands free operation
- Large 24" x 42" top
- Recommended load capacity of 250 pounds
- Optional Bellows cover

INCLUDES: POST [CHROME], CLAMP & TOP

GT-110 Electric Grooming Table w/ 24" x 42" Table Top



PET DRYING TABLE

43"W x 60"H x 25"D size

- Shown with optional dryer
- Features power cord hanger to keep cord tucked out of the way
- Dryer Hose hanger for easy storage
- Leash rail and 2 D-rings for multiple restraint locations
- All stainless construction ensures long-term durability
- Available in custom sizes

D900 Stainless Steel Pet Drying Table



SHAMPOO RACKS

Quart Bottles

- SRQ1 – Fits 800-00, 800-02, 800-10, 800-12 | Back & Side Mount
Fits D48, 800-17 | Back Mount Only
- SRQ2 – Fits 800-15, 800-16 | Back Mount Only

Gallon Bottles

- SRG3 – Fits 800-00, 800-02, 800-10, 800-12 | Side Mount Only
- SRG2 – Fits 800-17, 800-20 | Side Mount Only



4" GROOMING TUB FAUCETS

Wall Mount (4" Center) utility spray w/ vacuum breaker with stainless steel flexible 72" hose & sprayer.



Also available with a 48" stainless steel flexible hose | **K45-3100-VB48**

K45-3100-VB72

Wall Mount (4" Center) utility spray w/ vacuum breaker with 108" coil hose & sprayer



K45-3101-V108

Wall Mount (4" Center) utility spray w/ vacuum breaker with flexible 72" light weight hose with Quick Disconnect, Shut-Off Valve and Spray Head



KL45-Y002-VB

72" light wight hose with with Quick Disconnect, Shut-Off Valve and Spray Head



DHK-72 Hose

BASKET DRAIN

Stainless steel duo basket drain with nut, gasket and sealing washer.



BASKETDRAIN

UTILITY FAUCET

8" center pre-rinse with wall bracket. Assembled is approximately 38" high.



KL60-1000-BR Deck Mount
KN53-1000-BR Wall Mount

DIGITAL READOUT FLOOR SCALE

Dimension: 42" x 22"

- 4 load cells ensure accurate & reliable readings
- Easy to operate "HOLD" feature
- Internal battery & AC powered
- Weighs up to 500 lbs. x 0.2 lbs. (250 kg x 0.1 kg)

INCLUDES: DIGITAL READOUT, STAINLESS STEEL TOP & RUBBER MAT

1500-00 Digital Readout Floor Scale



DIGITAL FELINE SCALE

- Accurate & reliable digital reading
- Compact, light & easy to operate
- "HOLD" feature increases accuracy
- Weighs up to 44 lbs. x 20 kg

INCLUDES: INTERNAL BATTERY AND AC POWER PACK

1500-20 Digital Feline Scale



KENNEL AREA PREP TABLE

Dimensions: 72"L x 28"W x 36"H overall

- 4" back splash protects wall from water damage
- 18"L x 18"W x 12"D sink (specify sink placement when ordering)
- 48"L x 24"W Under shelf w/1" back splash
- Constructed of 16 gauge type 304 stainless steel
- Raised marine edge contains spills on table top surface
- Will stand up to water exposure
- Available in custom sizes

500-20 72"L x 28"W x 36"H w/Sink and Under Shelf



Faucet Not Included

HAIR TRAP

"Catch-all" Hair Trap is designed with a removable end-cap that unscrews by hand. Inside of trap is a strainer that collects hair and debris. To clean, simply unscrew and shake out strainer, then replace. This trap is used in place of a typical P-trap and in most cases it can replace your existing hair trap. Can be used with bathing tubs, wet/prep cabinets, sinks and more.

K-1701



Introducing the new Poo-Pee Patch!

NEW!



- No training required - dogs naturally search for grassy areas
- Great for retail spaces - no outdoor potty area required
- No potty walking required - great for rainy days



**hooks into the existing drain*

**Indoor Potty
that drains
into the floor***

DIRECT
ANIMAL PRODUCTS
Stainless Steel Equipment

Call us today!
877.459.7827
www.directanimal.com



CONTACT US

directanimal.com
sales@directanimal.com

t | 877.459.7827
f | 940.433.5469

554 S. Allen
PO Box 1310
Boyd, TX 76023

10 YEAR LIMITED WARRANTY

TriStar Metals, Inc. warrants to the initial purchaser only, of products manufactured by TriStar Metals, Inc. that such products are free from defects in materials for a period of ten years and labor for a period of 1 year from the date of delivery to the customer. Only those stainless steel products manufactured by TriStar Metals, Inc. are covered under the ten year warranty. All other non-stainless steel products are covered under a 1 year warranty. Products sold but not manufactured by TriStar will be covered by the products' manufacturer's warranty.

If within the applicable warranty period a product proves to be defective as described herein, TriStar Metals, Inc. will repair or re-place the product, at TriStar Metals, Inc. sole discretion, conditional upon: (1) customers written notice of the defect within 30 days after discovery of defect; (2) evidence of customers status as initial purchaser; and (3) details of defect. Upon receipt of all of the above, TriStar Metals, Inc. will advise customer whether TriStar Metals, Inc. plans to repair or replace defective product. Any alterations or modifications provided by 3rd party without TriStar's written permission will void the Limited Warranty.

In the event TriStar Metals, Inc. product(s) were purchased via an authorized TriStar Metals, Inc. distributor, the authorized distributor shall not be recognized as the initial purchaser. In this instance the "end user" will be recognized as the initial purchaser. In addition, all warranty issues shall be conducted via an authorized distributor.

TriStar Metals, Inc. obligation is solely limited to repair or replacement of defective product and under no circumstances shall TriStar Metals, Inc. be liable for transportation to or from TriStar Metals, Inc. facility or any other expense associated with this limited warranty.

This warranty does not apply to normal wear and tear, improper or insufficient maintenance, routine maintenance (such as need to replace sealant), or damage caused by accident, negligence, improper operation or the use of corrosive agents.

LIMITATION OF LIABILITY

TriStar Metals, Inc. shall not be held liable, under any circumstances, to purchaser or any entity for damages based on lost sales or profits, delay, product failure, work stoppage or any other damages arising out of breach of warranty, breach of contract, negligence, or otherwise.

TriStar Metals, Inc. liability for any and all losses and damages shall not exceed the original purchase price of the product upon which liability is established.

TriStar Metals, Inc. reserves the right to modify products, dimensions or the Limited Warranty at any time without notice



As with any printed catalog, product availability and specifications are subject to change. Please call for most up to date product information.



WWW.DIRECTANIMAL.COM

877.459.7827 | PO Box 1310 | 554 S Allen | Boyd, Tx 76023